WORKPLACE SOLUTIONS

EN

MONITOR MOUNTS ▪ COMPUTER ACCESSORIES
USB DEVICES & ACCESSORIES ▪ CABLES & ADAPTERS



POWERFUL IT INFRASTRUCTURE

FOR INTELLIGENT NETWORKED WORKING ENVIRONMENTS

ASSMANN Electronic GmbH, based in Lüdenscheid, North Rhine-Westphalia, was founded in 1969 and today - as part of the ASSMANN Holding GmbH - is an internationally operating solution provider for high-quality network technology, network and server cabinets, audio and video media technology, as well as cables and peripherals into a seamless one-stop product experience for customers. Ten other subsidiaries are united under the umbrella of the holding company with locations in:

Austria, Switzerland, France, Spain, Croatia, Poland, Turkey, China, Taiwan and Hong Kong.

The diverse product portfolio of the established DIGITUS ® own brand is sold worldwide via IT distributors, system integrators, electrical wholesalers, the eCommerce channel and corporate resellers.

DIGITUS® by ASSMANN

Whether in the public sector, industry, large corporations or individual offices - with the DIGITUS® range, ASSMANN offers its customers structured building cabling and enables them to network modern working environments smartly.

This includes products and solutions for:

- Data network technology
- Network and server cabinets
- Installation cables and accessories
- Active and passive network components



Digital expertise – ASSMANN


Customers benefit not only from the comprehensive, certified and compatible product range, with which they can cover all requirements, but in particular from the many innovative digital services, e-tools and trade marketing measures that ASSMANN offers them tailored to optimise their joint online business.

These include target group-specific customisable product finders for online shops that can be implemented on the customer website, clever direct shop integrations of the DIGITUS® brand world and practical article master data downloads such as ETIM.

With its extensive product expertise and in-depth industry know-how, ASSMANN continues to drive its sustainable growth on an international scale.

DIGITUS®

TABLE OF CONTENTS



WORKPLACE SOLUTIONS

	Page
▪ Table Frames	4
▪ Table Tops	5
▪ Seating	6
▪ Laptop & Monitor Risers	6
▪ Risers & Stands	7-8



MONITOR MOUNTS

	Page
▪ Table Mounts - Monitor	9-11
▪ Wall Mounts - Monitor & TV	11

COMPUTER ACCESSORIES

	Page
▪ Desk Lamps	12-13
▪ Led Monitor Light	13



CHARGING SOLUTIONS

	Page
▪ Chargers & Power Adapters	14-15
▪ Outlets	16

USB DEVICES & ACCESSORIES

	Page
▪ Docking Stations	17-18
▪ USB-Hubs	19-20



OFFICE SUPPLIES

	Page
▪ Cable Management	21-22
▪ PC Mounts	22
▪ Under-Cabinet Drawer	24

CABLES & ADAPTERS

	Page
▪ Monitor Connection Cable	25
▪ USB Connection Cable	26
▪ USB Charging Cable	27



WORKPLACE SOLUTIONS

DIGITUS® Electrically Height-Adjustable Table Frame
Dual Motor, 3 Levels

Convert your standard desk into an Ergonomic Standing/Sitting Workstation





Technical Details

- Maximum load capacity of up to 100 kg
- Flexible frame - Suitable for tabletops 110-200 cm wide and 60-100 cm deep
- Convenient electrical height adjustment (without tabletop): 62-127 cm
- Touchscreen with memory function for 4 different height settings as well as height display
- Two motors for fast and quiet (<50 dB) height adjustment - Lifting speed 35 mm/sec.


DA-90433 | EAN 4016032481980 | Electric Height Adjustable Desk Frame Dual Motor, 3-Stages, White

DA-90434 | EAN 4016032481997 | Height Adjustable Standing Desk Frame Dual Motor, 3-Stages, Black

DA-90435 | EAN 4016032482017 | Height Adjustable Standing Desk Frame Dual Motor, 3-Stages, Grey

DIGITUS® Electrically Height-Adjustable Table Frame
90° L-Shaped, Triple Motor, 2-step

Transform your desk into an ergonomic standing/sitting workstation. Electrically height-adjustable, variably extendable and can be installed on the right. With collision protection and memory function for height adjustment.





Technical Details

- Maximum load capacity of up to 120 kg
- Flexibly adjustable frame: Cross brace (112 - 165 cm) x longitudinal brace (130 - 180 cm)
- Suitable for table tops: 120 - 180 cm x 140 - 200 cm and a depth of 55 - 100 cm
- Longitudinal strut (3rd leg) can be flexibly mounted on the right
- Comfortable and electric height adjustment (without table top): 72 - 120 cm

DA-90453 | EAN 4016032487418 | Electric Height Adjustable Desk Frame, 3-Leg Height:120 cm, Load: 120 kg, White

DA-90459 | EAN 4016032502142 | Electric Height Adjustable Desk Frame, L-Shape Height:120 cm, Load: 120 kg, Grey

DIGITUS® Ergonomic Workspace Riser
Height Adjustable Sit-Stand Desktop 95x61x10-50cm

Height Adjustable Stand/Sit Desktop Extension





Technical Details

- Desktop area: 95 x 61cm
- Maximum load: Desktop 15 kg
- Lower deck for mouse and keyboard
- Maximum load: Keyboard Tray 2 kg
- With integrated smartphone or tablet holder
- With predrilled hole for monitor mounts with table hole installation for all Digitus mounts with hole / clamp mount
- Desktop thickness: 12mm
- Dimensions: 95x61x11cm
- Height adjustable between 10 to 50cm
- Weight: 14,63kg
- Color black

DA-90380-1 | EAN 4016032433279 | Height Adjustable Sit-Stand Desktop 95x61x10-50cm, Lower Keyboard and Mouse Deck

DIGITUS® Ergonomic Stand/Sit Desk Converter
MDF Board, Height: 45-405mm, Surface: 67x47 cm

The compact stand/sit desk attachment (converter) offers a flexible and cost-effective solution for ergonomic work, no matter where you are





Technical Details

- Ultra-slim design - just 4.5 cm tall when folded together
- 6 lockable height settings
- Height adjustment using spiral spring: 4.5/21.5/26.5/30.5/36.5/40.5 cm
- Work surface (MDF board): W 67 x D 47 x H 1.5 cm
- Single-handle design for fast and easy height adjustment
- Anti-slip pads protect the desk surface and offer a secure hold
- Maximum load capacity: 8 kg
- Dimensions (folded together): W 67 x D 47 x H 4.5 cm
- Material: Steel, MDF, PVC, aluminum, plastic
- Weight: 6,7 kg
- Color: Black

DA-90445 | EAN 4016032481874 | Desk Converter, 6 Heights Mdf Board, Height: 45-405mm, Surface: 67x47 cm



DIGITUS® Ergonomic Stool / Standing Aid
Height-Adjustable with Gas Pressure Spring

Height-Adjustable Office Stool for more Dynamic Sitting/Standing





Technical Details

- Integrated gas spring - facilitates height adjustment
- Height adjustment: 63 - 88 cm
- Seat can be rotated by 180°
- Maximum load capacity: 125 kg
- Lifting cylinder diameter: 40 mm
- Dimensions: W 33 x D 33 x H 63 - 88 cm
- Weight: 13 kg
- Manufacturer's notice:
- The base is unstable, which means the stool wobbles, tilts and rotates. Make sure that is securely positioned and held in place during use.
- This is not a stationary chair or stool

DA-90422 | EAN 4016032475279 | Standing Stool, Height-Adjustable, Black

DIGITUS® Notebook Desk / Workstation
Mobile Slot, Mousepad

Allows you to work from anywhere - Includes mouse pad and smartphone stand






Technical Details

- Suitable for notebooks up to 17“
- Integrated mouse pad
- Integrated smartphone stand
- Soft padding on the underside
- Suitable as a raiser for use on a desk
- Notebook holder on the underside provides support even when in a tilted position
- Practical carrying handle
- Dimensions: L 30.5 x W 57.5 x H 5.5 cm
- Weight: 0.9 kg
- Color: Gray
- Material: Plastic / cotton


DA-90441 | EAN 4016032481898 | Notebook Desk / Workstation up to 17“, Mobile Slot, Mousepad





DIGITUS® Vertical Notebook Stand
Aluminium Silver

Compact solution for positioning your notebook in your workspace- enables optimal cooling for your device





Technical Details

- Elegant aluminum
- Variable size: 7.7 - 40 mm - Universal solution for notebooks of all kinds
- Maximum load capacity: 10 kg
- Anti-slip pads for secure positioning
- Silicone pads on the inside protect your notebook
- Save space when positioning your notebook on your desk
- Enables optimal cooling of your device thanks to vertical positioning
- Dimensions: 9.2 (D) x 15 (W) x 4.3 (H) cm
- Weight: 407 g
- Color: Silver
- Material: Aluminum

DA-90439 | EAN 4016032481799 | Vertical Notebook Stand, Aluminum Silver

DIGITUS® Mobile Laptop Stand
Foldable Steel Laptop/Tablet Stand

Mobile Laptop stand, foldable and adjustable in 5 different steps (angles)






Technical Details

- For laptops from 10” to 15”
- Height: 20.7 to 26.7 cm
- Support angle adjustable in 5 steps
- Optimal ventilation through the open frame construction
- Payload: 5 kg
- Color: Black
- Material: Metal
- Dimensions: L 25.5 x W 25.5 x D 3.5 cm
- Weight: 0.62 kg

DA-90368 | EAN 4016032456063 | Foldable Steel Laptop/Tablet Stand with 5 Adjustment Positions

DIGITUS® Aluminium Monitor Riser
Silver

Elegant monitor riser made from solid aluminium - improves your viewing position and leaves more space on your desk. The ultra-slim monitor riser is the best choice for style, modern design and functionality





Technical Details

- Anti-slide pads for a secure position
- Load capacity up to 10 kg
- Up to 39 cm keyboards have space under the holder
- Recommended screen sizes: 11“ - 32“
- Suitable for monitors or notebooks
- Color: silver
- Material: Aluminium
- Dimensions: L 40 x W 21 x H 6.3 cm
- Weight: 0.5 kg

DA-90369 | EAN 4016032456056 | Slim Aluminium Monitor Riser Silver



DIGITUS® Universal Glass Monitor Riser
560x210x80mm, 20kg

Universal Glass Monitor Riser





Technical Details

- Footprint of 56x21cm
- Material: Tempered glass, aluminium and plastic
- Height: 8cm
- Fits most 13“ (33cm) -32“ (81cm) screens
- Weight: 1,51kg
- Dimensions: 56x21x8cm
- Max load: 20kg

DA-90358 | EAN 4016032390206 | Tabletop Glass Monitor Riser 560x210x80mm, max load up to 20kg



DIGITUS® Single Design Monitor Mount
35“, 10 kg

Fully mobile table mount for screens up to 35“ with a maximum weight capacity of 10 kg - suitable for flat screens as well as curved displays





Technical Details

- Maximum monitor size: 35“
- Maximum load: 10 kg
- Mechanical spring with tension adjustment (tool-free)
- VESA compatibility: 75x75, 100x100
- Suitable for flat and curved monitors
- Tested & certified ergonomic product - Certified by IGR (Institute for Health and Ergonomics)
- Tilting the monitor: 135° (+ 90° to -45°)
- Pivoting the monitor: 180° (+90° to -90°)
- Rotating the monitor: 360° (+180° to -180°)

DA-90469 | EAN 4016032505877 | Single Design Monitor Mount, 35“,10 kg Mechanical Spring, VESA: 75x75, 100x100, Black

DA-90470 | EAN 4016032505884 | Single Design Monitor Mount, 35“, 10 kg Mechanical Spring, VESA: 75x75, 100x100, White

DIGITUS® Dual Design Monitor Mount
2x 35“, 2x 10 kg

Fully mobile table mount for 2 screens up to 35“ with a maximum weight capacity of 2x 10 kg - suitable for flat screens as well as curved displays





Technical Details

- Maximum monitor size: 35“
- Maximum load per arm: 10 kg
- Mechanical spring with tension adjustment (tool-free)
- VESA compatibility: 75x75, 100x100
- Suitable for flat and curved monitors
- Tested & certified ergonomic product - Certified by IGR (Institute for Health and Ergonomics)
- Tilting the monitor: 135° (+ 90° to -45°)
- Pivoting the monitor: 180° (+90° to -90°)
- Rotating the monitor: 360° (+180° to -180°)

DA-90471 | EAN 4016032505891 | Dual Design Monitor Mount, 2x35“, 2x10 kg Mechanical Spring, VESA: 75x75, 100x100, Black

DA-90472 | EAN 4016032505907 | Dual Design Monitor Mount, 2x 35“, 2x 10 kg Mechanical Spring, VESA: 75x75, 100x100, White

DIGITUS® Single Monitor Mount
49“, 20 kg

Fully mobile table mount for screens up to 49“ with a maximum weight capacity of 20 kg - suitable for flat screens as well as curved displays





Technical Details

- Maximum monitor size: 49“
- Maximum load: 20 kg
- Mechanical spring with tension adjustment
- VESA compatibility: 75x75, 100x100
- Suitable for flat and curved monitors
- Tilting the monitor: 70° (+ 50° to -20°)
- Pivoting the monitor: 180° (+90° to -90°)
- Rotating the monitor: 360° (+180° to -180°)
- Full arm extension: 54.5 cm
- Mounting type: Clamp bracket or table feed-through
- Recommended tabletop thickness: Clamp: 10 - 80 mm, table bushing: 10 - 35 mm
- VESA Quick-Release function (quick-release fastener)
- 180° rotation stop
- Integrated cable management
- Material: steel, aluminum, plastic
- Dimensions: D 13.4 x W 62.5 x H 66.3 cm
- Weight: 4.95 kg
- Color: Black
- Tested & certified ergonomic product - Certified by IGR (Institute for Health and Ergonomics)

DA-90473 | EAN 4016032505914 | Single Monitor Mount, 49“, 20 kg Mechanical Spring, VESA: 75x75, 100x100, Black

DIGITUS® Dual Monitor Mount
2x 45“, 2x 20 kg

Fully mobile table mount for 2 screens up to 45“ with a maximum weight capacity of 2x 20 kg - suitable for flat screens as well as curved displays





Technical Details

- Maximum monitor size: 45“
- Maximum load: 20 kg
- Mechanical spring with tension adjustment
- VESA compatibility: 75x75, 100x100
- Suitable for flat and curved monitors
- Tilting the monitor: 70° (+ 50° to -20°)
- Pivoting the monitor: 180° (+90° to -90°)
- Rotating the monitor: 360° (+180° to -180°)
- Full arm extension: 54.5 cm
- Mounting type: Clamp bracket or table feed-through
- Recommended tabletop thickness: Clamp: 10 - 80 mm, table bushing: 10 - 35 mm
- VESA Quick-Release function (quick-release fastener)
- 180° rotation stop
- Integrated cable management
- Material: steel, aluminum, plastic
- Dimensions: D 12.3 x W 122.4 x H 66.3 cm
- Weight: 8.67 kg
- Color: Black
- Tested & certified ergonomic product - Certified by IGR (Institute for Health and Ergonomics)

DA-90474 | EAN 4016032505921 | Dual Monitor Mount, 2x 45“, 2x 20 kg Mechanical Spring, VESA: 75x75, 100x100, Black



DIGITUS® Single Monitor Mount
57“, 27 kg

Fully mobile table mount for screens up to 57“ with a maximum weight capacity of 27 kg - suitable for flat screens as well as curved displays





Technical Details


- Maximum monitor size: 57“
- Maximum load: 27 kg
- Gas pressure spring with tension adjustment
- VESA compatibility: 75x75, 100x100
- Suitable for flat and curved monitors
- Tilting the monitor: 150° (+ 75° to -75°)
- Pivoting the monitor: 180° (+90° to -90°)
- Rotating the monitor: 180° (+90° to -90°)
- Full arm extension: 56.3 cm
- Pole mount height: 38.8 cm
- Mounting type: Clamp bracket or table feed-through
- Recommended tabletop thickness: Clamp: 12 - 45 mm, table bushing: 12 - 45 mm
- VESA Quick-Release function (quick-release fastener)
- Integrated cable management

DA-90475 | EAN 4016032505938 | Single Monitor Mount, 57“, 27 kg Gas Spring, VESA: 75x75, 100x100, Black

DA-90476 | EAN 4016032505945 | Single Monitor Mount, 57“, 27 kg Gas Spring, VESA: 75x75, 100x100, White

DIGITUS® Monitor Wall Mount
32“, 9 kg

Full flexibility for your monitor – Tilt, rotate, swivel and compact wall installation





Technical Details

- For flat and curved monitors from 15“ - 32“
- Maximum load capacity: 9 kg
- VESA compatibility: 75 x 75, 100 x 100
- Tilt: -45°/+90°, Swivel: -90°/+90°, Front panel rotation range: 360°
- Swivel arm: offers maximum flexibility of vision
- Gas spring: perfectly balances the weight of your monitor
- Built-in spring compressor for perfect weight adjustment
- Integrated cable management: for an organized and tidy working area

DA-90425 | EAN 4016032479727 | Single Gas Spring Monitor Wall Mount 32“, 9 kg max., Black

DA-90428 | EAN 4016032479789 | Single Gas Spring Monitor Wall Mount 43“, 23v kg max., Black

DA-90396 | EAN 4016032465133 | Single Gas Spring Monitor Wall Mount 17-32“, 8 kg (max.), Black

DIGITUS® TV Wall Mount
32“, 18 kg

Universally suitable for all LED and LCD monitors up to 32“ with a mounting option in accordance with the VESA standard





Technical Details

- Suitable for standard VESA mounting patterns of 75 x 75 and 100 x 100 mm
- For monitors up to 81 cm (32“) and with a maximum weight of 18 kg
- Minimal mounting profile from wall (18 mm)
- Integrated spirit level for easy mounting
- Weight: 0.3 kg
- Dimensions: 120 x 120 x 18 mm

DA-90303-1 | EAN 4016032383123 | TV Wall Mount, 32“ 18 kg max load, max VESA 100x100



COMPUTER ACCESSORIES

DIGITUS® LED Desk Lamp
50cm, 1025lm, 7W

Compact 50-cm LED desk lamp with clamp base—perfect, eye-friendly lighting for modern laptop workstations in home offices and offices





Technical Details

- Light output: 1025 lumens
- Color rendering index: >80
- Color temperatures: 4 levels
- Adjustable color temperature (CCT): 3000K - 6500K
- Central illuminance: 1000 lux at 45 cm (distance from the light source)
- Dimming function: 5 levels
- External power supply: DC (10 V / 0.85 A)
- Installation: Clamp mounting on the table up to 65 mm
- Power consumption: 7 W
- Standby power consumption: 0.29 W
- LED technology: 96 x SMD 2835 0.5W
- Energy efficiency class: D
- IP rating: IP 20
- Dimensions: 500 x 59 x 400–530 mm
- Weight: 1.45 kg
- Color: Black
- Material: aluminum, plastic

DA-90490 | EAN 4016032508403 | LED Desk Lamp, 50 cm 1025 lm, 7W, Black

DA-90491 | EAN 4016032508410 | LED Desk Lamp, 50 cm 1025 lm, 7W, White

DIGITUS® LED Desk Lamp
80 cm, 2400 lm, 16 W

80-cm-wide LED desk lamp with clamp base—broad, eye-friendly light for modern workstations with two monitors in home offices and offices





Technical Details

- Light output: 2400 lumens
- Color rendering index: >80
- Color temperatures: 4 levels
- Adjustable color temperature (CCT): 3000K – 6500K
- Central illuminance: 1,000 lux at 45 cm (distance from the light source)
- Dimming function: 5 levels
- External power supply: DC (10 V / 1.8 A)
- Mounting: Clamp mounting on table up to 65 mm
- Power consumption: 16 W
- Standby power consumption: 0.28 W
- LED technology: 168 x SMD 2835 0.5 W
- Energy efficiency class: D
- IP rating: IP 20
- Dimensions: 800 x 59 x 540–650 mm
- Weight: 1.75 kg
- Color: Black
- Material: aluminum, plastic

DA-90492 | EAN 4016032508380 | LED Desk Lamp, 80 cm 2400 lm, 16W, Black

DA-90493 | EAN 4016032508397 | LED Desk Lamp, 80 cm 2400 lm, 16W White



DIGITUS® LED Monitor Light
with Clamp Mount

LED Light with Dimmer, Different Color Temperatures, Touch Control and Clamp Mount






Technical Details


- Dimmer function: 5 levels
- Color temperatures: 5 levels
- Color temperature setting: 5 levels
- LED technology: 48 x SMD 2835 0.2 W
- Configurable color temperature (CCT): 3000 K - 6500 K
- Lumens: 250 lm
- Central light power: 800 Lux at 30 cm (distance from light source)
- Color rendering index: >80

DA-90415 | EAN 4016032475033 | LED Monitor Bar Light 5W, 250lm, Clamp, Black

ARE YOU LOOKING FOR SOMETHING SPECIFIC?

Learn More





CHARGING SOLUTIONS

DIGITUS® USB GaN Charger
3x USB-C, 1x USB-A, 140W

The 140 W GaN II Charger with practical holder and four connections charges laptops, tablets and smartphones simultaneously - the ideal solution for workstations with high energy requirements





Technical Details

- GaN II technology (gallium nitride) for high efficiency, low heat generation, and a compact design
- Plastic housing made from 30% recycled PCR material
- Plastic-free packaging
- Protection against overcurrent, short circuits, and overheating
- Input voltage/rated current/frequency: 100–240 V / 2.5 A / 50/60 Hz
- Average active efficiency: 84.70%
- Standby power consumption: 0.29 W
- Product color: White
- Dimensions: 7.2 x 7.2 x 3.0 cm
- Weight: 323 g

DA-10305 | EAN 4016032505853 | USB GaN Charger, 140W 3x USB-C, 1x USB-A, White

GAN CHARGER









Art.-No.	DA-10301	DA-10302	DA-10303	DA-10304
Name	**USB GaN Charger**	**USB GaN Charger**	**USB GaN Charger**	**USB GaN Charger**
Performance	30W	45W	67W	100W
Connections	1x USB-C Connection 1x USB-A Connection	1x USB-C Connection 1x USB-A Connection	1x USB-C1 Connection 1x USB-C2 Connection 1x USB-A Connection	1x USB-C1 Connection 1x USB-C2 Connection 1x USB-A Connection
Color	White	White	White	White

DIGITUS® USB Charger
1x USB-C, 1x USB-A, 20W

20 W of power for fast, safe charging of two devices at the same time—compact, efficient, and ideal for home and on the go.





Technical Details

- Maximum power per port: USB-C max. 20W, USB-A max. 18W
- Multi-Device Charging (2 Ports) USB-C + USB-A: 15W max.
- Plastic housing made from 98% recycled PCR material
- Plastic-Free Packaging
- Protection against overcurrent, short circuits, and overheating
- Input Voltage/Rated Current/Frequency: 100–240 V / 0.8 A / 50/60 Hz
- Average active efficiency: 85.5%
- Power consumption in standby mode: 0.1 W
- Product Color: White
- Dimensions: 3.9 x 8.4 x 2.7 cm
- Weight: 57 g

DA-10300 | EAN 4016032505808 | USB Charger, 20W 1x USB-C, 1x USB-A, White



CHARGING SOLUTIONS





Art.-No.	DA-10072	DA-10071
Name	Notebook charger USB-C power supply 100W PD 3.0	Notebook Charger USB-C Power supply 65W PD3.0
Max. power	50/60 Hz	50/60 Hz
Lengths	1.2 m	1.2 m
Color	Black	Black

DIGITUS® 4-Way Office Socket Strip
with 2x USB Ports

4-way socket strip with two additional USB charging connectors for mobile devices in a high quality aluminum casing





Technical Details

- 4x safety sockets in a 45° layout, also suitable for right angle plugs
- 2x USB ports (5V / 2A max.) for charging mobile devices
- 2x universal clamp mountings for different table thicknesses
- Illuminated safety switch for switching on and off
- Protection against accidental contact: Plastic covers close the contacts on the socket
- High quality aluminum casing
- Also suitable for wall mounting
- Mains with safety plug: 1.5 m
- Input voltage: 110 - 240 VAC
- Frequency: 50 Hz
- Power output: 3680 W, 16 A (max.)
- Dimensions: L 35.0 x W 6.0 x H 5.0 cm
- Weight: 700 g
- Color: silver/black

DA-70614 | EAN 4016032443216 | 4-way Office Power Strip with 2x USB On/Off Switch, Alu-housing, USB out: 5V/2A, bl/si



DIGITUS® 6-Way Office Power Strip
with 3x USB Ports

6-way power strip with three additional USB charging ports for mobile devices in a high-quality aluminum housing





Technical Details

- 6x protective contact sockets in a 45° arrangement, also suitable for bulky angle plugs
- 2x USB A ports (5V/3A, 9V/2A, 12V/1.5A, 18W max.) for charging mobile devices
- 1x USB-C port (5□/3A, 9V/2.2A, 12V/1.67A, 20W max.) for charging mobile devices
- 2x universal clamp mountings for different table thicknesses (20mm - 57mm)
- Illuminated safety switch for switching on and off
- Protection against accidental contact: Plastic covers close the contacts on the socket
- High-quality aluminium housing
- Mains cable with safety plug: 1.5 m

DA-70624 | EAN 4016032487012 | 6-way Office power strip 3x USB 2xUSB-A +1xUSB A, On/off switch, Alu-housing



DIGITUS® USB-C Docking Station
13-port

Our 13-port USB-C docking station expands the connection options for notebooks and offers a complete solution for the entire workplace





Technical Details

- 3x HDMI + 2x DP (4K/60Hz) - Expand your workstation to up to 3 external monitors with a choice of 5 video connections
- Supports dual monitor (2x 4K/60Hz) & triple monitor (3x 4K/60Hz) in MST mode (expand screen) - Windows, macOS, ChromeOS, Linux
- Supports Dual Monitor & Triple Monitor (MST - extend screen) - also with Apple computers with M1, M2, M3 chipset
- Supports dual monitor (2x 4K/60Hz) & triple monitor (3x 4K/60Hz) in SST mode (screen mirroring) - All common operating systems
- 3x USB-A 3.2 Gen 1 (5 Gbit/s) for fast data transfer - one port with additional charging function (1.5A) for mobile devices

DA-70918 | EAN 4016032497776 | USB-C Docking Station, 13-Port, 3x HDMI, 2x DP 4x USB-A, 1x USB-C, 1x RJ45, 1x DC, 1x Audio

DIGITUS® USB-C 8K Docking Station
12-Port

Optimally equipped: The Digitus USB-C 8K Docking Station offers maximum image quality and numerous connections for a sophisticated setup





Technical Details

- 2x HDMI port + 1x DP port (8K/30Hz) - Expand your workstation with up to 3 external monitors
- Supports dual monitor (2x 4K/60Hz) & triple monitor (1x 4K/60Hz + 2x 4K/30Hz) in MST mode (Multi Stream Transport / extend screen) - Windows, ChromeOS
- 2x USB-A 3.2 Gen 2 (10 Gbit/s) connection for ultra-fast data transfer - one port with additional charging function (1.5A) for mobile devices
- 1x USB-A 3.2 Gen 1 (5Gbit/s) port for fast data transfer
- 1x USB-C 3.2 Gen 2 (10 Gbit/s) port for ultra-fast data transfer and charging function (1.5A) for mobile devices
- 1x Gigabit Ethernet connection 10/100/1000 Mbit/s (RJ45) - connection of your notebook to the network via cable
- 2x card reader (SD/MicroSD) - transfer speed of 104 MBps
- 1x 3.5 mm audio jack

DA-70919 | EAN 4016032502098 | USB-C 8K Docking Station, 12-Port 2x HDMI, 1x DP, 3x USB-A, 1x USB-C, 1x RJ45, 1x PD

DIGITUS® USB-C Docking Station
8-Port

USB-C Docking Station, 8-Port 1x HDMI, 5x USB 3.2 Gen 1, 1x RJ45, 1x PD





Technical Details

- 1x HDMI port (4K/60Hz) - Expand your workspace with an additional external monitor
- 4x USB-A 3.2 Gen 1 ports (5 Gbit/s) for fast data transfer
- 1x USB-C 3.2 Gen 1 port (5 Gbit/s) for fast data transfer
- 1x USB-C Power Delivery (3.0) port for charging the laptop and USB devices
- 1x Gigabit Ethernet port (RJ45) - Connects your laptop to the network via a cable. Supports MAC address passthrough
- Integrated USB-C connection cable (18 cm) - Flexible connection to the host PC
- Supports DP 1.4 Alt Mode; backward compatible with DP 1.2 Alt Mode (DisplayPort Alternate Mode)
- Sturdy and reliable aluminum housing
- Connection cables can be stored to save space
- Supports HDCP 1.4, HDCP 1.3

DA-70921 | EAN 4016032502098 | USB-C Docking Station, 8-Port 1x HDMI, 5x USB 3.2 Gen 1, 1x RJ45, 1x PD

DIGITUS® USB-C Docking Station
9-Port

An organized workspace thanks to our solution—well-equipped to handle any challenge





Technical Details

- 2x HDMI Ports (4K/60Hz) - Expand your workspace with two additional external monitors
- 4x USB-A 3.2 Gen 1 ports (5 Gbit/s) for fast data transfer
- 1x USB-C 3.2 Gen 1 port (5 Gbit/s) for fast data transfer
- 1x USB-C Power Delivery (3.0) - Port for charging the laptop and USB devices
- 1x Gigabit Ethernet port (RJ45) — Connects your laptop to the network via cable. Supports MAC address passthrough

DA-70922 | EAN 4016032510178 | USB-C Docking Station, 9-Port 2x HDMI, 5x USB 3.2 Gen 1, 1x RJ45, 1x PD

DIGITUS® USB-C Docking Station
11-Port

Top-quality 8K for the most demanding expectations—suitable for any application





Technical Details

- 2 HDMI ports (1x 8K/30Hz, 1x 4K/60Hz) - Expand your workspace with two additional external monitors
- 3 USB-A 3.2 Gen 1 ports (5 Gbit/s) for fast data transfer
- 2 USB-C 3.2 Gen 1 ports (5 Gbit/s) for fast data transfer
- 2x USB-A 2.0 (480 Mbit/s) for reliable data transfer—ideal for a mouse, keyboard, or other input devices
- 1x USB-C Power Delivery (3.0) port for charging the laptop and USB devices
- 1x Gigabit Ethernet port (RJ45) - Connects your laptop to the network via cable. Supports MAC address passthrough
- Integrated USB-C connection cable (18 cm) - Flexible connection to the host PC
- Sturdy and reliable aluminum housing

DA-70923 | EAN 4016032510154 | USB-C Docking Station, 11-Port 2xHDMI,5xUSB 3.2 Gen1, 2x USB 2.0,1x RJ45,1x PD

DIGITUS® USB 3.0 Office Hub
7-Port

Adds seven additional SuperSpeed ports to your workspace



Technical Details

- Provides your workspace with up to seven additional USB ports
- Fastest data transfer rates with SuperSpeed USB 3.0
- High Quality aluminium housing
- Does not require additional installation – Plug & Play

DA-70241-1 | EAN 4016032447474 | USB 3.0 Hub, 7-port Incl. 5V/3,5A power supply, Aluminium housing

DIGITUS® USB 3.0 Hub
4-Port, Slim Line

Expands your notebook with USB-C or USB A connection with 4 additional USB super-speed ports



Technical Details

- Additionally 4x USB A 3.0 with up to 5Gbps to a USB A or USB-C port
- USB-C 3.0 and USB A 3.0 HUB, the combination of USB-A and USB-C is designed in order that the HUB is compatible with a wide range of notebooks.
- The USB hub provides up to four additional connection options for external hard drives, SSDs or other USB devices on your PC, notebook or tablet.
- Thanks to the Super-Speed USB 3.0 standard, fast data transfer rates of up to 5 Gbps are possible - USB 2.0 & USB 1.1 are also supported thanks to its backward compatibility.
- The integrated USB-C connection makes it possible to provide the USB HUB with additional power (Charging cable/ adapter not included)
- For optimal placement of the USB hub on the desk or in the TV cabinet, the device has a fixed, 120 cm long connection cable.
- Compatible with many operating systems e.g. macOS, Windows and Google Chrome OS

DA-70236 | EAN 4016032489214 | USB 3.0 Hub 4-Port, Slimline with USB-C Adapter, 5Gbps, 1,2m cable



DIGITUS® Dual Card Reader & Hub
USB-C™ / USB 3.0, OTG

Easy connection of memory cards and USB sticks to your smartphone, tablet, notebook - USB-C & USB-A





Technical Details

- Direct data backup from smartphone / tablet without intermediate storage
- USB port and card reader can be operated in parallel
- Copy & move between USB A device and memory card possible
- Connection to notebook, tablet or smartphone possible via USB-C or USB A
- Plug and play - no drivers required
- Ideal for on the go and when traveling
- Compact aluminum housing with protective caps for the connections

DA-70886 | EAN 4016032464464 | Combo Card Reader Hub (USB-C+USB 3.0) 1x SD, 1x MicroSD, 1x USB 3.0, grey



DIGITUS® USB-C HUB, 4-Port
2x USB-A + 2x USB-C





Technical Details

- 2x USB A 3.1 Gen2 with up to 10 Gbps
- 2x USB-C 3.1 Gen2 with up to 10 Gbps
- High-quality aluminum housing in slim design
- Data transfer rate: up to 10Gbps
- Compatible with many operating systems such as macOS, Windows and Google Chrome OS
- Plug & Play - Plug in and get started right away, no installation required
- Number of USB A ports: 2
- Number of USB C ports: 2

DA-70245 | EAN 4016032485766 | USB-C 4 Port HUB 2x USB-A + 2x USB-C Gen2



DIGITUS® Flexible Cable Routing with Adjustable Length

Individually adjustable length with 4 cable channels - suitable for height-adjustable tables





Technical Details

- Suitable for normal and height-adjustable tables
- 28 removable links for individual length adjustment
- Flexible side opening for easy entry and exit of the cables
- Adjusts to the height of the respective table
- Pedestal of the guide with metal weight for more stability
- Tidy and flexible cable management
- Multi-link, modular construction
- 4 separate chambers within the cable routing
- Attachment angle for table
- Total length: 130 cm

DA-90505 | EAN 4016032463313 | Flexible Cable Routing, Color: black Length: 1.3 m

DA-90506 | EAN 4016032463511 | Flexible Cable Routing, Color: silver Length: 1.3 m

DIGITUS® Flexible Cable Tube with a Pulling Aid, 5 m

Perfect cable management with a convenient pulling aid





Technical Details

- Perfect organization and protection from wear and tear
- Pulling aid - cable management possible within one minute
- Individually cut to measure
- Flexible cable management
- Suitable for all types of cables

DA-90508 | EAN 4016032463313 | flexible Cable Sleeve, Black, 5m PET

DA-90506 | EAN 4016032463511 | Flexible Cable Routing, Color: Silver Length: 1.3 m

DIGITUS® Hook-and-Loop
Fastener Tape on Roll

Is stable to alcohol, oil, fat and water





Technical Details

- Soft and flexible material structure; protects the tied surfaces against damage, therefore, fits for sensitive materials e. g. fibre optic cables.
- Arbitrarily cuttable; also sewable
- Is stable to alcohol, oil, fat and water
- Color: black
- Material: Fabric
- Tensile strength: 8 kg (80N)
- Working temperature: -40°C to 80°C
- Length: 10 m

AK-770905-100-S | EAN 4016032326977 | Hook-And-Loop Fastener Tape Fabric, 10m x 15mm x 2.6mm, on roll, bl

DIGITUS® Universal PC Mount
for Desk Mounting with Easy-Locking

Flexible metal holder for PC housings of all kinds – continuously adjustable without tools






Technical Details

- Easy locking – Secure height adjustment without tools
- Continuously adjustable height and width
- Perfectly adapts to different PC housing sizes
- Can be swiveled by 360° – Easy access to connections on the rear side
- Under-desktop installation: Saves space and facilitates workstation cleaning
- Compatible with many common PC housings
- Sturdy steel construction for excellent durability
- Ideal for home and office

DA-90411 | EAN 4016032474975 | PC Table Mount, 10 kg max H: 300-510, D: 88-203mm, Black

DIGITUS® Cable Management Duct

Provides space for stowing cables and socket strips - for individual under-desk mounting






Technical Details

- Clean design: Hides cables and power lines for a clean work area
- Easy installation: screw mounting under the desk enables quick installation
- Perfect accessory for height-adjustable desks - tidy work area and prevents damage to cabling at the same time
- Maximum load capacity: 5 kg
- Dimensions: W 60 x D 13.5 x H 10.8 cm
- Color: Black
- Surface: Powder coating
- Weight: 1.1 kg

DA-90450 | EAN 4016032481836 | Cable Management Tray, Under-Desk, Black

DIGITUS® Cable Management Channel

Provides space to store cables as well as socket strips - For individual under-desktop mounting





Technical Details

- Clean design: Hides cables and power cords for a clean workspace
- Easy installation: Screw mounting under the desk allows for quick installation
- Perfect accessory for height-adjustable desks - Tidies up the workspace while preventing damage to cabling
- Dimensions: W 60 x D 7.6 x H 11.4 cm
- Weight: 1.2 kg
- Color: Black
- Material: Steel
- Surface: Powder coating
- Mounting: Under desktop

DA-90448 | EAN 4016032481867 | Cable Management Tray, Under Desk, Black

DIGITUS® Flexible Cable Tube
with Hook and Loop Fastener

Can be cut to measure, contracts with hook and loop fastener





Technical Details

- Easy and tidy cable routing
- Individually cut to measure
- Stretchable plastic mesh
- Hook and loop fastener for easy opening / closing
- Suitable for all types of cables
- Contracts, diameter from 2 to 5 cm
- Length: 2 m

DA-90507 | EAN 4016032463320 | Cable Sock, Color Black, 2m



DIGITUS® Multifunctional Mini Desktop PC Holder

Elegantly hide your mini Desktop PC behind your monitor and still beeing able to use a monitor mount






Technical Details

- Maximum load 5kg
- For mini desktop PC between 17-70mm thickness
- VESA pattern 75x75, 100x100
- Dimensions: 14,9 x 8,5 x 11,8cm
- Weight: 0,66kg

DA-90360 | EAN 4016032423805 | Multifunction Mini Desk Pc Holder For Table Clamp Or Between VESA Mount, VESA 75x75, 100x100

DIGITUS® Under-Desk Drawer

Pull-out under-desk drawer for individual placement at the workplace - The perfect addition to your height-adjustable desk





Technical Details

- Dimensions: W 51.3 x D 31-48 x H 10.8 cm
- Sturdy steel frame: 5 kg max. load capacity
- Easy and quick assembly
- Drawer can be pulled out up to 17 cm
- Smooth slide mechanism: quiet opening and closing
- Recommended for tabletops with a thickness of 18 mm or more

DA-90443 | EAN 4016032481911 | Under Desk Storage Drawer, Black

DIGITUS® Under-Desk Storage Pocket Tray

Under-Desk Storage / Pocket Tray for individual placement at the workplace - The perfect addition to your height-adjustable desk





Technical Details

- Dimensions: W 33 x D 25.5 x H 40 cm
- Sturdy steel frame: 5 kg max. load capacity
- Easy and quick assembly
- Removable storage tray
- Surface: Powder coating
- Recommended for tabletops with a thickness of 15 mm or more
- Material: Steel, plastic
- Color: White, matte
- Weight: 3.5 kg

DA-90444 | EAN 4016032481881 | Under Desk Storage / Bag Catch, White



MONITOR CONNECTION CABLE





Lengths	USB-C-HDMI Video Adapter Cable	USB-C-DisplayPort Adapter Cable
1m	-	DB-300334-010-S
1.8m	DA-70821	-
2m	-	DB-300334-020-S











Lengths	16K DisplayPort Connection Cable Version 2.1, 1m, 80G	8K DisplayPort Connection Cable Version 1.4	HDMI High Speed with Ethernet Connection Cable	HDMI Ultra High Speed Connection Cable	8K PREMIUM HDMI 2.1 Connection Cable
1m	DB-340111-010-S	DB-340201-010-S	AK-330107-010-S	AK-330124-010-S	DB-330200-010-S
2m	DB-340111-020-S	DB-340201-020-S	AK-330107-020-S	AK-330124-020-S	DB-330200-020-S
3m	-	DB-340201-030-S	AK-330107-030-S	AK-330124-030-S	DB-330200-030-S
5m	-	-	AK-330107-050-S	AK-330124-050-S	-



USB-C SILICONE CABLE





Lengths	USB-C Silicone Connection Cable	USB Silicone Cable USB 3.2 Gen1 USB 5Gbps	USB Silicone Cable USB 3.2 Gen1 USB 5Gbps
0.5m	AK-300340-005-S/W	AK-300342-005-S	AK-300350-005-S
1m	AK-300340-010-S/W	AK-300342-010-S	AK-300350-010-S
1.5m	-	-	AK-300350-015-S
2m	AK-300340-020-S/W	AK-300342-020-S	-

USB-RJ45 ETHERNET CABLE




Lengths	USB-A - RJ45 Ethernet Cable	USB-C - RJ45 Ethernet Cable
2m	AK-300600-020-S	AK-300601-020-S
3m	AK-300600-030-S	AK-300601-030-S
5m	AK-300600-050-S	AK-300601-050-S

USB-C FULL-FEATURED CABLE






Lengths	USB-C - USB-C Connection Cable USB 3.2 Gen1	USB-C 4 Gen2– USB-C Connection Cable
0.5m	-	-
1m	DB-300220-010-S	DB-300443-010-S
2m	-	-
3m	-	DB-300443-030-S

MULTI-CHARGING CABLE








Lengths	3-in-1 USB-Charging Cable	USB-C 2-in-1 Charging Cable	3-in-1 USB-Charging Cable
0.15m	-	-	DB-300160-002-S
1m	AK-300160-010-S	-	-
1.8m	-	AK-300170-018-S	-



DISCOVER OUR SOLUTIONS



Digitus

www.digitus.com

DM-30467

Brand names and logos mentioned are trademarks or registered trademarks of their respective owners. Design deviations from the illustrations, errors, and technical changes are reserved. All information is provided without guarantee. We accept no liability for printing errors. Delivery subject to availability, only while stocks last. 09/2026